R13

Code No: 126AP

5.a)

b)

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD B. Tech III Year II Semester Examinations, May - 2017 DISTRIBUTED SYSTEMS

(Computer Science and Engineering)

Max. Marks: 75 Time: 3 hours **Note:** This question paper contains two parts A and B. Part A is compulsory which carries 25 marks. Answer all questions in Part A. Part B consists of 5 Units. Answer any one-full question from each unit. Each question carries 10 marks and may have a, b, c as sub questions. PART - A (25 Marks) [2] Give an example of a URL. 1.a) [3] Distinguish between buffering and caching. b) [2] Write a short notes on elections. c) Write a formula for the maximum throughput of a mutual exclusion system in terms of d) [3] the synchronization delay. [2] Why is there no explicit data typing in CORBA CDR? e) [3] Is it conceivably useful for a port to have several receivers? f) [2] How does AFS deal with the risk that callback messages may be lost? g) Which other name server addresses do DNS name servers hold by default, and why? h) [3] List the types of entry in a recovery file. [2] i) [3] Give a brief note on nested transactions. j) PART - B (50 Marks) Illustrate the client server architecture of one or more major internet applications. 2.a) List the types of local resource that are vulnerable to an attack by an untrusted program b) [5+5]that is downloaded from a remote site and run in a local computer. Describe possible occurrence of each of the main types of security threat that might 3.a) occur in the internet. [5+5]Give a brief note on web servers and web browsers. b) Explain how to adapt the causally ordered multicast protocol to handle overlapping [10] groups. OR

Give an example execution of the ring based algorithm to show that processes are not

necessarily granted entry to the critical section in happened before order.

Write a short note on clocks, events and process states.

6.	Briefly explain the external data representation and marshalling.				[10]
	OR				
7.	Describe a scenario in which a client could receive a reply from an earlier call.				[10]
8.	Explain why iterative navigation is necessary in a name service and indicate how, if at all, these may be overcome. [10]				
9.	Discuss the whether mess applications.	OR age passing or	DSM is prefer	able for fault	tolerant [10]
10.a) b)			SE		[5+5]
11.	Describe how a non-recover the last operation of transaction	able situation cou		locks are releas	ed after [10]
	8R - 8	00000	88		
	8R -8R		8 3		SK
The state of the s	8R 8R	88	8R.	8,8	S.
				* :	
Ž.,	8R 8R		-81	8R	