

6.003: Signals and Systems

Relations among Fourier Representations

April 22, 2010

Mid-term Examination #3

Wednesday, April 28, 7:30-9:30pm.

No recitations on the day of the exam.

Coverage: Lectures 1–20
 Recitations 1–20
 Homeworks 1–11

Homework 11 will not be collected or graded. Solutions will be posted.

Closed book: 3 pages of notes ($8\frac{1}{2} \times 11$ inches; front and back).

Designed as 1-hour exam; two hours to complete.

Review sessions during open office hours.

Fourier Representations

We've seen a variety of Fourier representations:

- CT Fourier series
- CT Fourier transform
- DT Fourier series
- DT Fourier transform

Today: relations among the four Fourier representations.

Four Fourier Representations

We have discussed four closely related Fourier representations.

DT Fourier Series

$$a_k = a_{k+N} = \frac{1}{N} \sum_{n=\langle N \rangle} x[n] e^{-j\frac{2\pi}{N}kn}$$

$$x[n] = x[n+N] = \sum_{k=\langle N \rangle} a_k e^{j\frac{2\pi}{N}kn}$$

DT Fourier transform

$$X(e^{j\Omega}) = \sum_{n=-\infty}^{\infty} x[n] e^{-j\Omega n}$$

$$x[n] = \frac{1}{2\pi} \int_{\langle 2\pi \rangle} X(e^{j\Omega}) e^{j\Omega n} d\Omega$$

CT Fourier Series

$$a_k = \frac{1}{T} \int_T x(t) e^{-j\frac{2\pi}{T}kt} dt$$

$$x(t) = x(t+T) = \sum_{k=-\infty}^{\infty} a_k e^{j\frac{2\pi}{T}kt}$$

CT Fourier transform


$$X(j\omega) = \int_{-\infty}^{\infty} x(t) e^{-j\omega t} dt$$

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{\infty} X(j\omega) e^{j\omega t} d\omega$$


Four Types of “Time”

discrete vs. continuous (\updownarrow) and periodic vs aperiodic (\leftrightarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform




Four Types of “Frequency”

discrete vs. continuous (\leftrightarrow) and periodic vs aperiodic (\updownarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform



Relations among Fourier Representations

Different Fourier representations are related because they apply to signals that are related.

DTFS (discrete-time Fourier series):	periodic DT
DTFT (discrete-time Fourier transform):	aperiodic DT
CTFS (continuous-time Fourier series):	periodic CT
CTFT (continuous-time Fourier transform):	aperiodic CT



Relation between Fourier Series and Transform

A periodic signal can be represented by a Fourier series or by an equivalent Fourier transform.

Series: represent periodic signal as weighted sum of harmonics

$$x(t) = x(t + T) = \sum_{k=-\infty}^{\infty} a_k e^{j\omega_0 kt} ; \quad \omega_0 = \frac{2\pi}{T}$$

The Fourier transform of a sum is the sum of the Fourier transforms:

$$X(j\omega) = \sum_{k=-\infty}^{\infty} 2\pi a_k \delta(\omega - k\omega_0)$$


Therefore periodic signals can be equivalently represented as Fourier transforms (with impulses!).

Relation between Fourier Series and Transform


A periodic signal can be represented by a Fourier series or by an equivalent Fourier transform.

$$x(t) = x(t + T) = \sum_{k=-\infty}^{\infty} a_k e^{j\omega_0 kt} \quad \leftrightarrow$$

Fourier Series



Fourier Transform




Relations among Fourier Representations

Explore other relations among Fourier representations.


Start with an aperiodic CT signal. Determine its Fourier transform.

Convert the signal so that it can be represented by alternate Fourier representations and compare.



Start with the CT Fourier Transform

Determine the Fourier transform of the following signal.




Could calculate Fourier transform from the definition.

$$X(j\omega) = \int_{-\infty}^{\infty} x(t)e^{j\omega t} dt$$

Start with the CT Fourier Transform


Determine the Fourier transform of the following signal.



Could calculate Fourier transform from the definition.


$$X(j\omega) = \int_{-\infty}^{\infty} x(t)e^{j\omega t} dt$$

Easier to calculate $x(t)$ by convolution of two square pulses:




Start with the CT Fourier Transform

The transform of $y(t)$ is $\frac{2 \sin(\omega/2)}{\omega}$



so the transform of $x(t) = (y * y)(t)$ is $X(j\omega) = Y(j\omega) \times Y(j\omega)$.




Relation between Fourier Transform and Series

What is the effect of making a signal periodic in time?

Find Fourier transform of periodic extension of $x(t)$ to period $T = 4$.

$$z(t) = \sum_{k=-\infty}^{\infty} x(t + 4k)$$




Could calculate $Z(j\omega)$ for the definition ... ugly.

Relation between Fourier Transform and Series

Easier to calculate $z(t)$ by convolving $x(t)$ with an impulse train.

$$z(t) = \sum_{k=-\infty}^{\infty} x(t + 4k)$$



$$z(t) = \sum_{k=-\infty}^{\infty} x(t + 4k) = (x * p)(t)$$

where

$$p(t) = \sum_{k=-\infty}^{\infty} \delta(t + 4k)$$


Then

$$Z(j\omega) = X(j\omega) \times P(j\omega)$$

We already know $P(j\omega)$: it's also an impulse train!

Relation between Fourier Transform and Series



Convolving in time corresponds to multiplying in frequency.



Relation between Fourier Transform and Series


The Fourier transform of a periodically extended function is a discrete function of frequency ω .

$$z(t) = \sum_{k=-\infty}^{\infty} x(t + 4k)$$




Relation between Fourier Transform and Series

The weight (area) of each impulse in the Fourier transform of a periodically extended function is 2π times the corresponding Fourier series coefficient.



Relation between Fourier Transform and Series

The effect of periodic extension of $x(t)$ to $z(t)$ is to sample the frequency representation.




Relation between Fourier Transform and Series

Periodic extension of a CT signal produces a discrete function of frequency.

Periodic extension


- = convolving with impulse train in time
- = multiplying by impulse train in frequency
- sampling in frequency




Four Types of “Time”

discrete vs. continuous (\updownarrow) and periodic vs aperiodic (\leftrightarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform




Four Types of “Frequency”

discrete vs. continuous (\leftrightarrow) and periodic vs aperiodic (\updownarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform



Relations among Fourier Representations


Compare to sampling in time.




Relations between CT and DT transforms

Sampling a CT signal generates a DT signal.

$$x[n] = x(nT)$$



Take $T = \frac{1}{2}$.





What is the effect on the frequency representation?

Relations between CT and DT transforms


We can generate a signal with the same shape by multiplying $x(t)$ by an impulse train with $T = \frac{1}{2}$.

$$x_p(t) = x(t) \times p(t) \quad \text{where} \quad p(t) = \sum_{k=-\infty}^{\infty} \delta(t + kT)$$




Relations between CT and DT transforms

Multiplying $x(t)$ by an impulse train in time is equivalent to convolving $X(j\omega)$ by an impulse train in frequency (then $\div 2\pi$).




Relations between CT and DT transforms

The Fourier transform of the “sampled” signal $x_p(t)$ is periodic in ω with period 4π .




Relations between CT and DT transforms

The Fourier transform of the “sampled” signal $x_p(t)$ has the same shape as the DT Fourier transform of $x[n]$.





DT Fourier transform


The CT Fourier transform of a “sampled” signal ($x_p(t)$) is equal to the DT Fourier transform of the samples ($x[n]$) where $\Omega = \omega T$, i.e.,
$$X(j\omega) = X(e^{j\Omega}) \Big|_{\Omega=\omega T}.$$



\leftrightarrow




\leftrightarrow



$$\Omega = \omega T = \frac{1}{2}\omega$$

Relation between CT and DT Fourier transforms


The CT Fourier transform of a “sampled” signal ($x_p(t)$) is equal to the DT Fourier transform of the samples ($x[n]$) where $\Omega = \omega T$, i.e.,
$$X(j\omega) = X(e^{j\Omega}) \Big|_{\Omega=\omega T}.$$




Four Types of “Time”

discrete vs. continuous (\updownarrow) and periodic vs aperiodic (\leftrightarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform




Four Types of “Frequency”

discrete vs. continuous (\leftrightarrow) and periodic vs aperiodic (\updownarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform




Relation Between DT Fourier Transform and Series

Periodic extension of a DT signal is equivalent to convolution of the signal with an impulse train.




Relation Between DT Fourier Transform and Series

Convolution by an impulse train in time is equivalent to multiplication by an impulse train in frequency.




Relation Between DT Fourier Transform and Series

Periodic extension of a discrete signal ($x[n]$) results in a signal ($x_p[n]$) that is both periodic and discrete. Its transform ($X_p(e^{j\Omega})$) is also periodic and discrete.




Relation Between DT Fourier Transform and Series

The weight of each impulse in the Fourier transform of a periodically extended function is 2π times the corresponding Fourier series coefficient.



Relation between Fourier Transforms and Series


The effect of periodic extension was to sample the frequency representation.




Four Types of “Time”

discrete vs. continuous (\updownarrow) and periodic vs aperiodic (\leftrightarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series




CT Fourier transform




Four Types of “Frequency”

discrete vs. continuous (\leftrightarrow) and periodic vs aperiodic (\updownarrow)


DT Fourier Series




DT Fourier transform



CT Fourier Series



CT Fourier transform




Relation between Fourier Transforms and Series

Periodic extension of a DT signal produces a discrete function of frequency.

Periodic extension


- = convolving with impulse train in time
- = multiplying by impulse train in frequency
- sampling in frequency



Relations among Fourier Representations

Different Fourier representations are related because they apply to signals that are related.

DTFS (discrete-time Fourier series):	periodic DT
DTFT (discrete-time Fourier transform):	aperiodic DT
CTFS (continuous-time Fourier series):	periodic CT
CTFT (continuous-time Fourier transform):	aperiodic CT



MIT OpenCourseWare
<http://ocw.mit.edu>

6.003 Signals and Systems
Spring 2010

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.